



h-racks.co.uk

✉ sales@h-racks.co.uk

☎ 07969 439035 / 01420 768875

🔗 h-racks.co.uk

Product Overview:

TS LONGSPAN

Heavy duty, adjustable shelving system

Extremely strong, heavy duty system that's easy to build



Heights

Standard Bay Height (mm)
1984, 2492, 3000,
3508, 4016



Widths

Widths (mm)
1229, 1534, 1839,
2144, 2449, 2754



Depths

Depths (mm)
471, 624, 776,
928, 1233



Application

Environment
Warehouse, Storeroom

Usage
Heavy Duty Racking



Construction

Frames: **Steel**
Blue RAL5010

Beams: **Steel**
Orange RAL2002

Shelves:
Chipboard
Solid Steel
Wire Mesh




Loadings

Shelf UDL up to
950kg

Max Bay Load
3900kg

Design and plan your TS Longspan Racking layout

Calculating Exact Dimensions of the Bay & Run of Bays







..add 3mm to dimension BD for each claw

Nominal Depth	BD Bay Depth	Nominal Width (W)	CE Clear Entry	WS Starter Bay	WX Extension Bay
471mm	471mm	1229mm	1229mm	1349mm	1289mm
624mm	624mm	1534mm	1534mm	1654mm	1594mm
776mm	776mm	1839mm	1839mm	1959mm	1899mm
928mm	928mm	2144mm	2144mm	2264mm	2204mm
1233mm	1233mm	2449mm	2449mm	2569mm	2509mm
		2754mm	2754mm	2874mm	2814mm

Add 10mm to over BD for footplate
Add 10mm to overall run length for footplate


Longspan Upright




Longspan Bay Loading (kgs)

Maximum bay load (kg)	600	700	800	900	1000	1100	1200
4100							
3900	3900						
3700		3700					
3500			3500				
3300				3300			
3100					3100		
2900						2900	
2700							2700

Distance between levels (mm)



Longspan Footplate



Don't require deck supports? Call us for a revised price.




TS Longspan Heavy Duty Racking

If you need a strong, robust and versatile solution, at a competitive price – then look no further.

The unique fit between the upright and claw gives our longspan racking incredible strength and rigidity. Along with our heavy duty “Z profile” beam which ensures it will meet the most rigorous demands.

All levels come with heavy duty deck supports as standard (except 471mm deep.) This ensures the chipboard, solid steel and wire mesh shelves carry the same load as the beams. The unique deck support slots into the beam which also eliminates the beams spreading or rotating.

- **NEW “Twin Slot” pattern on the upright**
New larger upright profile 60x50mm with twin slots
- **Heavy duty Racking system**
Store all your heavy and bulk items with ease
- **Adaptable storage solutions**
Simple to add to, as your storage needs grow
- **Strong “Z” profile beam design**
Unique beam design that offers capacities up to 950kgs
- **Heavy duty shelf levels**
Shelf levels includes deck supports to match beam capacities
- **Guaranteed delivery in 5 days**
Get your stores organised quickly with no hassle



Deck supports are supplied on Depth's of 610mm and greater.

Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

TS Longspan Racking Frames & Levels

i Frame price includes 2x uprights with all necessary bracing and fixings – requires self assembly. **Beam level** is one complete level that includes 2x beams, (Chipboard, Solid Steel or Wire Mesh Decking) all necessary deck supports and safety pins. (Floor Fixings 'M8x65' / 'M8x70' available on request) **Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!**

Frames		Levels		Beam Levels - Chipboard Decking		Levels		Beam Levels - Steel Decking		Levels		Beam Levels - Mesh Decking	
H x D(mm)	Code	W x D(mm)	Code	Load (kg)	Deck Supports	Code		Load (kg)	Deck Supports	Code		Load (kg)	Deck Supports
1984 x 471mm	TSF/20/04/BE	1229 x 471mm	TSB/12/04/OR	950	0	TSBSD/12/04/OR		480	0	TSBWD/12/04/OR		350	0
2492 x 471mm	TSF/25/04/BE	1534 x 471mm	TSB/15/04/OR	850	0	TSBSD/15/04/OR		600	0	TSBWD/15/04/OR		N/A	0
3000 x 471mm	TSF/30/04/BE	1839 x 471mm	TSB/18/04/OR	800	0	TSBSD/18/04/OR		720	0	TSBWD/18/04/OR		700	0
3508 x 471mm	TSF/35/04/BE	2144 x 471mm	TSB/21/04/OR	700	0	TSBSD/21/04/OR		700	0	TSBWD/21/04/OR		700	0
4016 x 471mm	TSF/40/04/BE	2449 x 471mm	TSB/24/04/OR	600	0	TSBSD/24/04/OR		600	0	TSBWD/24/04/OR		600	0
		2754 x 471mm	TSB/27/04/OR	440	0	TSBSD/27/04/OR		440	0	TSBWD/27/04/OR		440	0
1984 x 624mm	TSF/20/06/BE												
2492 x 624mm	TSF/25/06/BE	1229 x 624mm	TSB/12/06/OR	900	3	TSBSD/12/06/OR		480	2	TSBWD/12/06/OR		350	3
3000 x 624mm	TSF/30/06/BE	1534 x 624mm	TSB/15/06/OR	800	3	TSBSD/15/06/OR		600	2	TSBWD/15/06/OR		N/A	3
3508 x 624mm	TSF/35/06/BE	1839 x 624mm	TSB/18/06/OR	800	3	TSBSD/18/06/OR		720	2	TSBWD/18/06/OR		700	3
4016 x 624mm	TSF/40/06/BE	2144 x 624mm	TSB/21/06/OR	700	3	TSBSD/21/06/OR		700	2	TSBWD/21/06/OR		700	3
		2449 x 624mm	TSB/24/06/OR	600	4	TSBSD/24/06/OR		600	2	TSBWD/24/06/OR		600	4
		2754 x 624mm	TSB/27/06/OR	440	5	TSBSD/27/06/OR		440	2	TSBWD/27/06/OR		440	5
1984 x 776mm	TSF/20/07/BE												
2492 x 776mm	TSF/25/07/BE												
3000 x 776mm	TSF/30/07/BE	1229 x 776mm	TSB/12/07/OR	875	3	TSBSD/12/07/OR		480	2	TSBWD/12/07/OR		325	3
3508 x 776mm	TSF/35/07/BE	1534 x 776mm	TSB/15/07/OR	775	3	TSBSD/15/07/OR		600	2	TSBWD/15/07/OR		N/A	3
4016 x 776mm	TSF/40/07/BE	1839 x 776mm	TSB/18/07/OR	800	3	TSBSD/18/07/OR		720	2	TSBWD/18/07/OR		650	3
		2144 x 776mm	TSB/21/07/OR	700	4	TSBSD/21/07/OR		700	2	TSBWD/21/07/OR		650	4
		2449 x 776mm	TSB/24/07/OR	575	4	TSBSD/24/07/OR		600	2	TSBWD/24/07/OR		600	4
		2754 x 776mm	TSB/27/07/OR	440	5	TSBSD/27/07/OR		440	2	TSBWD/27/07/OR		440	5
1984 x 928mm	TSF/20/09/BE												
2492 x 928mm	TSF/25/09/BE												
3000 x 928mm	TSF/30/09/BE	1229 x 928mm	TSB/12/09/OR	825	3	TSBSD/12/09/OR		400	2	TSBWD/12/09/OR		300	3
3508 x 928mm	TSF/35/09/BE	1534 x 928mm	TSB/15/09/OR	725	3	TSBSD/15/09/OR		500	2	TSBWD/15/09/OR		N/A	3
4016 x 928mm	TSF/40/09/BE	1839 x 928mm	TSB/18/09/OR	800	3	TSBSD/18/09/OR		600	2	TSBWD/18/09/OR		600	3
		2144 x 928mm	TSB/21/09/OR	675	4	TSBSD/21/09/OR		700	2	TSBWD/21/09/OR		600	4
		2449 x 928mm	TSB/24/09/OR	550	4	TSBSD/24/09/OR		600	2	TSBWD/24/09/OR		600	4
		2754 x 928mm	TSB/27/09/OR	440	5	TSBSD/27/09/OR		440	2	TSBWD/27/09/OR		440	5
1984 x 1233mm	TSF/20/12/BE												
2492 x 1233mm	TSF/25/12/BE												
3000 x 1233mm	TSF/30/12/BE	1229 x 1233mm	TSB/12/12/OR	750	3	TSBSD/12/12/OR		360	2	TSBWD/12/12/OR		250	3
3508 x 1233mm	TSF/35/12/BE	1534 x 1233mm	TSB/15/12/OR	675	3	TSBSD/15/12/OR		450	2	TSBWD/15/12/OR		N/A	3
4016 x 1233mm	TSF/40/12/BE	1839 x 1233mm	TSB/18/12/OR	750	3	TSBSD/18/12/OR		540	2	TSBWD/18/12/OR		500	3
		2144 x 1233mm	TSB/21/12/OR	625	5	TSBSD/21/12/OR		630	2	TSBWD/21/12/OR		500	4
		2449 x 1233mm	TSB/24/12/OR	525	5	TSBSD/24/12/OR		600	2	TSBWD/24/12/OR		500	4
		2754 x 1233mm	TSB/27/12/OR	440	5	TSBSD/27/12/OR		440	2	TSBWD/27/12/OR		440	5



i Don't require deck supports? Call us for a revised price.



TS Longspan Racking Chipboard Decking

Starter Bay - Chipboard decking		Extension Bay - Chipboard Decking		Extra Levels - Chipboard Decking	
Size (HxWxD) mm	Code	Code		Level Code	Load(kg)
1984x1229x471	TNBS/201204/3/BO	TNBE/201204/3/BO		TSB/12/04/OR	950
1984x1534x471	TNBS/201504/3/BO	TNBE/201504/3/BO		TSB/15/04/OR	850
1984x1839x471	TNBS/201804/3/BO	TNBE/201804/3/BO		TSB/18/04/OR	800
1984x2144x471	TNBS/202104/3/BO	TNBE/202104/3/BO		TSB/21/04/OR	700
1984x2449x471	TNBS/202404/3/BO	TNBE/202404/3/BO		TSB/24/04/OR	600
1984x2754x471	TNBS/202704/3/BO	TNBE/202704/3/BO		TSB/27/04/OR	440
1984x1229x624	TNBS/201206/3/BO	TNBE/201206/3/BO		TSB/12/06/OR	900
1984x1534x624	TNBS/201506/3/BO	TNBE/201506/3/BO		TSB/15/06/OR	800
1984x1839x624	TNBS/201806/3/BO	TNBE/201806/3/BO		TSB/18/06/OR	800
1984x2144x624	TNBS/202106/3/BO	TNBE/202106/3/BO		TSB/21/06/OR	700
1984x2449x624	TNBS/202406/3/BO	TNBE/202406/3/BO		TSB/24/06/OR	600
1984x2754x624	TNBS/202706/3/BO	TNBE/202706/3/BO		TSB/27/06/OR	440
1984x1229x776	TNBS/201207/3/BO	TNBE/201207/3/BO		TSB/12/07/OR	875
1984x1534x776	TNBS/201507/3/BO	TNBE/201507/3/BO		TSB/15/07/OR	775
1984x1839x776	TNBS/201807/3/BO	TNBE/201807/3/BO		TSB/18/07/OR	800
1984x2144x776	TNBS/202107/3/BO	TNBE/202107/3/BO		TSB/21/07/OR	700
1984x2449x776	TNBS/202407/3/BO	TNBE/202407/3/BO		TSB/24/07/OR	575
1984x2754x776	TNBS/202707/3/BO	TNBE/202707/3/BO		TSB/27/07/OR	440
1984x1229x928	TNBS/201209/3/BO	TNBE/201209/3/BO		TSB/12/09/OR	825
1984x1534x928	TNBS/201509/3/BO	TNBE/201509/3/BO		TSB/15/09/OR	725
1984x1839x928	TNBS/201809/3/BO	TNBE/201809/3/BO		TSB/18/09/OR	800
1984x2144x928	TNBS/202109/3/BO	TNBE/202109/3/BO		TSB/21/09/OR	675
1984x2449x928	TNBS/202409/3/BO	TNBE/202409/3/BO		TSB/24/09/OR	550
1984x2754x928	TNBS/202709/3/BO	TNBE/202709/3/BO		TSB/27/09/OR	440
1984x1229x1233	TNBS/201212/3/BO	TNBE/201212/3/BO		TSB/12/12/OR	750
1984x1534x1233	TNBS/201512/3/BO	TNBE/201512/3/BO		TSB/15/12/OR	675
1984x1839x1233	TNBS/201812/3/BO	TNBE/201812/3/BO		TSB/18/12/OR	750
1984x2144x1233	TNBS/202112/3/BO	TNBE/202112/3/BO		TSB/21/12/OR	625
1984x2449x1233	TNBS/202412/3/BO	TNBE/202412/3/BO		TSB/24/12/OR	525
1984x2754x1233	TNBS/202712/3/BO	TNBE/202712/3/BO		TSB/27/12/OR	440

i Starter Price includes 2x Frame and 3x Beam Levels. Extension price includes 1x Frame and 3x Beam Levels. Frame includes 2x uprights with all necessary bracing and fixings (**Assembly Required**). Beam level includes 2x beams, chipboard decking, all necessary deck supports and safety pins. To configure your own bay with a selection of frames and beams, turn to page 5

For Taller Bays See below:

For starter bays please add 2 x extra height price
For extension bays please add 1 x extra height price

Extra Height - 471mm deep		Extra Height - 624mm deep		Extra Height - 776mm deep		Extra Height - 928mm deep		Extra Height - 1233mm deep	
H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code
2492 x 471	----/25--04/3/BO	2492 x 624	----/25--06/3/BO	2492 x 776	----/25--07/3/BO	2492 x 928	----/25--09/3/BO	2492 x 1233	----/25--12/3/BO
3000 x 471	----/30--04/3/BO	3000 x 624	----/30--06/3/BO	3000 x 776	----/30--07/3/BO	3000 x 928	----/30--09/3/BO	3000 x 1233	----/30--12/3/BO
3508 x 471	----/35--04/3/BO	3508 x 624	----/35--06/3/BO	3508 x 776	----/35--07/3/BO	3508 x 928	----/35--09/3/BO	3508 x 1233	----/35--12/3/BO
4016 x 471	----/40--04/3/BO	4016 x 624	----/40--06/3/BO	4016 x 776	----/40--07/3/BO	4016 x 928	----/40--09/3/BO	4016 x 1233	----/40--12/3/BO



i Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

TS Longspan Racking Solid Steel Decking NEW PRODUCT!

Starter Bay - Solid steel decking		Extension Bay - Solid Steel Decking		Extra Levels - Solid Steel Decking	
Size (HxWxD) mm	Code	Code		Level Code	Load(kg)
1984x1229x471	TNBSSD/201204/3/BO	TNBESD/201204/3/BO		TSBSD/12/04/OR	480
1984x1534x471	TNBSSD/201504/3/BO	TNBESD/201504/3/BO		TSBSD/15/04/OR	600
1984x1839x471	TNBSSD/201804/3/BO	TNBESD/201804/3/BO		TSBSD/18/04/OR	720
1984x2144x471	TNBSSD/202104/3/BO	TNBESD/202104/3/BO		TSBSD/21/04/OR	700
1984x2449x471	TNBSSD/202404/3/BO	TNBESD/202404/3/BO		TSBSD/24/04/OR	600
1984x2754x471	TNBSSD/202704/3/BO	TNBESD/202704/3/BO		TSBSD/27/04/OR	440
1984x1229x624	TNBSSD/201206/3/BO	TNBESD/201206/3/BO		TSBSD/12/06/OR	480
1984x1534x624	TNBSSD/201506/3/BO	TNBESD/201506/3/BO		TSBSD/15/06/OR	600
1984x1839x624	TNBSSD/201806/3/BO	TNBESD/201806/3/BO		TSBSD/18/06/OR	720
1984x2144x624	TNBSSD/202106/3/BO	TNBESD/202106/3/BO		TSBSD/21/06/OR	700
1984x2449x624	TNBSSD/202406/3/BO	TNBESD/202406/3/BO		TSBSD/24/06/OR	600
1984x2754x624	TNBSSD/202706/3/BO	TNBESD/202706/3/BO		TSBSD/27/06/OR	440
1984x1229x776	TNBSSD/201207/3/BO	TNBESD/201207/3/BO		TSBSD/12/07/OR	480
1984x1534x776	TNBSSD/201507/3/BO	TNBESD/201507/3/BO		TSBSD/15/07/OR	600
1984x1839x776	TNBSSD/201807/3/BO	TNBESD/201807/3/BO		TSBSD/18/07/OR	720
1984x2144x776	TNBSSD/202107/3/BO	TNBESD/202107/3/BO		TSBSD/21/07/OR	700
1984x2449x776	TNBSSD/202407/3/BO	TNBESD/202407/3/BO		TSBSD/24/07/OR	600
1984x2754x776	TNBSSD/202707/3/BO	TNBESD/202707/3/BO		TSBSD/27/07/OR	440
1984x1229x928	TNBSSD/201209/3/BO	TNBESD/201209/3/BO		TSBSD/12/09/OR	400
1984x1534x928	TNBSSD/201509/3/BO	TNBESD/201509/3/BO		TSBSD/15/09/OR	500
1984x1839x928	TNBSSD/201809/3/BO	TNBESD/201809/3/BO		TSBSD/18/09/OR	600
1984x2144x928	TNBSSD/202109/3/BO	TNBESD/202109/3/BO		TSBSD/21/09/OR	700
1984x2449x928	TNBSSD/202409/3/BO	TNBESD/202409/3/BO		TSBSD/24/09/OR	600
1984x2754x928	TNBSSD/202709/3/BO	TNBESD/202709/3/BO		TSBSD/27/09/OR	440
1984x1229x1233	TNBSSD/201212/3/BO	TNBESD/201212/3/BO		TSBSD/12/12/OR	360
1984x1534x1233	TNBSSD/201512/3/BO	TNBESD/201512/3/BO		TSBSD/15/12/OR	450
1984x1839x1233	TNBSSD/201812/3/BO	TNBESD/201812/3/BO		TSBSD/18/12/OR	540
1984x2144x1233	TNBSSD/202112/3/BO	TNBESD/202112/3/BO		TSBSD/21/12/OR	630
1984x2449x1233	TNBSSD/202412/3/BO	TNBESD/202412/3/BO		TSBSD/24/12/OR	600
1984x2754x1233	TNBSSD/202712/3/BO	TNBESD/202712/3/BO		TSBSD/27/12/OR	440

① Starter Price includes 2x Frame and 3x Beam Levels. Extension price includes 1x Frame and 3x Beam Levels. Frame includes 2x uprights with all necessary bracing and fixings. **(Assembly Required)** Beam level includes 2x beams, steel decking, all necessary deck supports and safety pins.
To configure your own bay with a selection of frames and beams, turn to page 5

For Taller Bays See below:

For starter bays please add 2 x extra height price
For extension bays please add 1 x extra height price

Extra Height - 471mm deep		Extra Height - 624mm deep		Extra Height - 776mm deep		Extra Height - 928mm deep		Extra Height - 1233mm deep	
H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code
2492 x 471	---/25-04/3/BO	2492 x 624	---/25-06/3/BO	2492 x 776	---/25-07/3/BO	2492 x 928	---/25-09/3/BO	2492 x 1233	---/25-12/3/BO
3000 x 471	---/30-04/3/BO	3000 x 624	---/30-06/3/BO	3000 x 776	---/30-07/3/BO	3000 x 928	---/30-09/3/BO	3000 x 1233	---/30-12/3/BO
3508 x 471	---/35-04/3/BO	3508 x 624	---/35-06/3/BO	3508 x 776	---/35-07/3/BO	3508 x 928	---/35-09/3/BO	3508 x 1233	---/35-12/3/BO
4016 x 471	---/40-04/3/BO	4016 x 624	---/40-06/3/BO	4016 x 776	---/40-07/3/BO	4016 x 928	---/40-09/3/BO	4016 x 1233	---/40-12/3/BO



① Don't require deck supports? Call us for a revised price.



TS Longspan Racking Wire Mesh Decking

NEW PRODUCT!

Starter Bay - Mesh decking	
Size (HxWxD) mm	Code
1984x1229x471	TNBSWD/201204/3/BO
1984x1534x471	TNBSWD/201504/3/BO
1984x1839x471	TNBSWD/201804/3/BO
1984x2144x471	TNBSWD/202104/3/BO
1984x2449x471	TNBSWD/202404/3/BO
1984x2754x471	TNBSWD/202704/3/BO
1984x1229x624	TNBSWD/201206/3/BO
1984x1534x624	TNBSWD/201506/3/BO
1984x1839x624	TNBSWD/201806/3/BO
1984x2144x624	TNBSWD/202106/3/BO
1984x2449x624	TNBSWD/202406/3/BO
1984x2754x624	TNBSWD/202706/3/BO
1984x1229x776	TNBSWD/201207/3/BO
1984x1534x776	TNBSWD/201507/3/BO
1984x1839x776	TNBSWD/201807/3/BO
1984x2144x776	TNBSWD/202107/3/BO
1984x2449x776	TNBSWD/202407/3/BO
1984x2754x776	TNBSWD/202707/3/BO
1984x1229x928	TNBSWD/201209/3/BO
1984x1534x928	TNBSWD/201509/3/BO
1984x1839x928	TNBSWD/201809/3/BO
1984x2144x928	TNBSWD/202109/3/BO
1984x2449x928	TNBSWD/202409/3/BO
1984x2754x928	TNBSWD/202709/3/BO
1984x1229x1233	TNBSWD/201212/3/BO
1984x1534x1233	TNBSWD/201512/3/BO
1984x1839x1233	TNBSWD/201812/3/BO
1984x2144x1233	TNBSWD/202112/3/BO
1984x2449x1233	TNBSWD/202412/3/BO
1984x2754x1233	TNBSWD/202712/3/BO

Extension Bay - Mesh Decking	
Code	
TNBEWD/201204/3/BO	
TNBEWD/201504/3/BO	
TNBEWD/201804/3/BO	
TNBEWD/202104/3/BO	
TNBEWD/202404/3/BO	
TNBEWD/202704/3/BO	
TNBEWD/201206/3/BO	
TNBEWD/201506/3/BO	
TNBEWD/201806/3/BO	
TNBEWD/202106/3/BO	
TNBEWD/202406/3/BO	
TNBEWD/202706/3/BO	
TNBEWD/201207/3/BO	
TNBEWD/201507/3/BO	
TNBEWD/201807/3/BO	
TNBEWD/202107/3/BO	
TNBEWD/202407/3/BO	
TNBEWD/202707/3/BO	
TNBEWD/201209/3/BO	
TNBEWD/201509/3/BO	
TNBEWD/201809/3/BO	
TNBEWD/202109/3/BO	
TNBEWD/202409/3/BO	
TNBEWD/202709/3/BO	
TNBEWD/201212/3/BO	
TNBEWD/201512/3/BO	
TNBEWD/201812/3/BO	
TNBEWD/202112/3/BO	
TNBEWD/202412/3/BO	
TNBEWD/202712/3/BO	

Extra Levels - Mesh Decking	
Level Code	Load(kg)
TSBWD/12/04/OR	350
TSBWD/15/04/OR	N/A
TSBWD/18/04/OR	700
TSBWD/21/04/OR	700
TSBWD/24/04/OR	600
TSBWD/27/04/OR	440
TSBWD/12/06/OR	350
TSBWD/15/06/OR	N/A
TSBWD/18/06/OR	700
TSBWD/21/06/OR	700
TSBWD/24/06/OR	600
TSBWD/27/06/OR	440
TSBWD/12/07/OR	325
TSBWD/15/07/OR	N/A
TSBWD/18/07/OR	650
TSBWD/21/07/OR	650
TSBWD/24/07/OR	600
TSBWD/27/07/OR	440
TSBWD/12/09/OR	300
TSBWD/15/09/OR	N/A
TSBWD/18/09/OR	600
TSBWD/21/09/OR	600
TSBWD/24/09/OR	600
TSBWD/27/09/OR	440
TSBWD/12/12/OR	250
TSBWD/15/12/OR	N/A
TSBWD/18/12/OR	500
TSBWD/21/12/OR	500
TSBWD/24/12/OR	500
TSBWD/27/12/OR	440

① Starter Price includes 2x Frame and 3x Beam Levels. Extension price includes 1x Frame and 3x Beam Levels. Frame includes 2x uprights with all necessary bracing and fixings (**Assembly Required**). Beam level includes 2x beams, mesh decking, all necessary deck supports and safety pins
To configure your own bay with a selection of frames and beams, turn to page 5

For Taller Bays See below:

For starter bays please add 2 x extra height price
 For extension bays please add 1 x extra height price

Extra Height - 471mm deep		Extra Height - 624mm deep		Extra Height - 776mm deep		Extra Height - 928mm deep		Extra Height - 1233mm deep	
H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code	H x D(mm)	Code
2492 x 471	----/25--04/3/BO	2492 x 624	----/25--06/3/BO	2492 x 776	----/25--07/3/BO	2492 x 928	----/25--09/3/BO	2492 x 1233	----/25--12/3/BO
3000 x 471	----/30--04/3/BO	3000 x 624	----/30--06/3/BO	3000 x 776	----/30--07/3/BO	3000 x 928	----/30--09/3/BO	3000 x 1233	----/30--12/3/BO
3508 x 471	----/35--04/3/BO	3508 x 624	----/35--06/3/BO	3508 x 776	----/35--07/3/BO	3508 x 928	----/35--09/3/BO	3508 x 1233	----/35--12/3/BO
4016 x 471	----/40--04/3/BO	4016 x 624	----/40--06/3/BO	4016 x 776	----/40--07/3/BO	4016 x 928	----/40--09/3/BO	4016 x 1233	----/40--12/3/BO



Shim



LN7/SHIM 90x63x1.2mm


Floor Fixing



FFM8/70 M8x65mm

① Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

Longspan Divider System Compartment Storage



Longspan Divider System Starter Bays		Extension Bay	Extra Divider
H x W x D (mm)	Code	Code	Code
1830x1830x457mm	LNBD5/181804/3/BO	LNBD5/181804/3/BO	RRCD/45/57
1830x2135x457mm	LNBD5/182104/3/BO	LNBD5/182104/3/BO	RRCD/45/57
1830x2440x457mm	LNBD5/182404/3/BO	LNBD5/182404/3/BO	RRCD/45/57
1830x1830x610mm	LNBD5/181806/3/BO	LNBD5/181806/3/BO	RRCD/61/57
1830x2135x610mm	LNBD5/182106/3/BO	LNBD5/182106/3/BO	RRCD/61/57
1830x2440x610mm	LNBD5/182406/3/BO	LNBD5/182406/3/BO	RRCD/61/57

① Price includes 2x Frames (1x Frame for extension), 4x Beam Levels, 9 x Chipboard Dividers, Decks plus all required fixings, bracing and brackets. Assembly required. Dividers are of fixed height and can be positioned anywhere.

① Other sizes of Longspan Dividers are available upon request.



Shelf Bins & Additional Dividers

NEW PRODUCT!

If you need a strong, robust and versatile bin storage solution, at a competitive price – then look no further.

Our new range of Shelf Bins have been designed to offer a range of bins in “Big Sizes” for storing large parts or increased volumes. They can fit both small parts shelving systems as well as larger bays, such as Rivet or Longspan.

They have many new features, such as internal dividers that securely locate into 7 different locations. There is also an integral back stop allowing the bin to be suspended out from the shelving, for ease of picking.

With a semi-open fronted and a large labelling area below, ensures items can be identified quickly. The bins are available in Blue shockproof plastic and can be nested when not in use to save space.



300mm



450mm



600mm



Depth

280mm



420mm



Width



Plastic Bin Features

- ① Integral back stop
- ② Profiled sides for extra strength
- ③ Nestable design – space saving
- ④ Large labelling area
- ⑤ Semi-open fronted design
- ⑥ 7 divider positions in each bin
- ⑦ Dividers positively slot into the bin

Shelf Bins		
D x W x H(mm)	Code	Colour
300x280x200mm	SFB302820	Blue
450x280x200mm	SFB452820	Blue
450x420x200mm	SFB454220	Blue
600x280x200mm	SFB602820	Blue
600x420x200mm	SFB604220	Blue

Add Dividers		
W x H(mm)	Code	Colour
280x200mm	SFD2820	Black
420x200mm	SFD4220	Black

Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

A heavy duty solution to a garment storage with TS Longspan



Longspan Centre Garment Rack 2135 x 1525 x 610 with 2 rails



Longspan garment rack 2135 x 1525 x 915 with 2 levels

Centre Garment Hanging Rail		
W (mm)	Code	Load UDL per rail (kg)
1229mm	LS/CGAR12/OR	100
1534mm	LS/CGAR15/OR	90
1839mm	LS/CGAR18/OR	80

Garment Hanging Rail		
W (mm)	Code	Load UDL per rail (kg)
1229mm	LS/GAR12/OR	100
1534mm	LS/GAR15/OR	90
1839mm	LS/GAR18/OR	80

ⓘ Price includes garment rail, brackets and fixings, available in 624mm deep only

ⓘ Price includes 2x garment rails and safety pins.

ⓘ For stability and safety, each Longspan bay should have a minimum of 2 levels.